



# Energy performance certificate for Grand Hotel Primus, Terme Ptuj



## ENERGY PERFORMANCE CERTIFICATE




OBJECT	Grand Hotel PRIMUS v Termah Ptuj	
INVESTOR	SAVA IP d.o.o. za Terme Ptuj d.o.o.	
LOCATION	Ptuj	
CADASTR. MUNICIPALITY	Ptuj	
LOT NUMBER		
NAME OF PROJECT DOCUMENTATION	Projekt izvedenih del, izdelal Elite d.o.o.	
CLIMATE DATA	real	reference
Temperature deficit	3300 Kdays	3300 Kdays
Heating season	235 days	235 days

COMPUTATIONAL ANNUAL NECESSARY HEAT NEEDED FOR NET USABLE AREA FOR A BUILDING kWh/m<sup>2</sup> yearly

Low usage of energy < 25 kWh/m <sup>2</sup> yearly	CLASS kWh/m <sup>2</sup>	ACTUAL LOCATION	CLIMATE REFERENCE	REGULATION * 2002
A	< 25	31	32	
B	25 - 40			
C	40 - 55			56
D	55 - 70			
E	70 - 85			
F	85 - 100			
G	100 - 115			
< 130 kWh/m <sup>2</sup> yearly High usage of energy	> 130			

Issued in accordance with the EU Directive 76/93/EEC and SIST EN 832




## Building energy performance certificate:

- based upon calculated energy indicators
- The methodology of the pilot project 5.OP EU OPET Slovenia.
- Class is determined on the basis of calculating the annual heating energy required  $Q_h$  [kWh/m<sup>2</sup> year].

